



NATIONAL
FIREPROOFING
SUPPLY CO

Passive Fireproofing Product Supplier

**Flamex PF-2 Exterior
Wood Fire Retardant**

Excellence in Technology

DESCRIPTION


Flamex PF-2 is a wood fire retardant penetrant applied to the surface to stop or slow flame spread.

Flamex PF-2 fire retardant spray leaves the natural surface of the wooden materials visible. Flamex PF-2 is an environmentally friendly flame retardant

Flamex PF-2 protects wooden building components outside.

Flamex PF-2 is designed for interior use on wooden materials that are subjected to high humidity and moisture to prevent leaching.

Flamex PF-2 is normally spray applied and is classified according to ASTM Standards



WHERE TO USE Flamex PF-2

Flamex PF-2 can be applied in residential, commercial and industrial construction where you would like to have a natural decorative finish while continuing to use your timber.



Why Use Flamex PF-2?

- Fire Protection with Natural Appeal for wood.
- Flamex PF-2 has been designed to allow fire protection to wood without compromising aesthetic appeal or functionality:
- Does not compromise intricate designs and shapes created by timber.
- Does not corrode nails, screws or other metal fasteners.
- Up to 5 years exterior durability and a interior permanent treatment

REQUIRED DATA

Product	Spread of Flame Approval
Flamex PF-2	ASTM E-84 Class A
Approvals	
Intertek Laboratory & Home Innovation Research Labs	
Transport / Storage	
<ul style="list-style-type: none">- Transport and store free from frost- preferably at a minimum of +5°C to a maximum of +30°C.- shelf-life of unopened pails: 12 month from date of manufacture.- Opened pails must be re-sealed.	
Packaging	
<ul style="list-style-type: none">- 12.5 and 25 kg net weight- Plastic pails- Other sizes on request	
Surface Preparation	
Please refer to the Technical Data Sheet	
Application	
Please refer to the Technical Data Sheet	
Drying Time	
Please refer to the Technical Data Sheet	
Top Coats	
Please refer to the Technical Data Sheet	
Safety and the Environment	
Please refer to the Technical Data Sheet	

TYPICAL APPLICATIONS

Provides Class A fire protection to wood structures and materials while maintaining architectural aesthetics for commercial infra- structure assets including:

- Homes
- Airports
- Stadiums and Leisure Facilities
- Office Buildings
- Retail Complexes
- Cinemas
- Residential low and Highrise Apartments
- Atriums



420 Wagner Rd.
Porter, IN 46304
Tel: (219) 926-1477 Fax: (888) 202-7801
support@natfire.com

Natfire.com

Disclaimer: The above data, particularly the recommendations for the application and use of National Fireproofing Supply products are based on the manufacturer's knowledge and experience. Due to different materials and conditions of application, which are beyond our control, we recommend in any case to carry out sufficient tests in order to ensure that National Fireproofing Supply products are suitable for the intended purpose and applications. Therefore, any liability for such recommendations or any oral advice is expressly excluded unless we have acted willfully or by gross negligence. It is always the responsibility of the installer / purchaser to guarantee correct preparation, and thickness of all National Fireproofing Supply products. National Fireproofing Supply Co. is not liable for installation or faulty installation. It is always the responsibility of the installer / purchaser to guarantee and certify the installation of materials.